



| 600X1200MM

LUMIЯRO  
COLLECTION



## Our Focus

Excellence in Every  
Detail, Commitment  
in Every Tile.

## We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,  
Stay for the Durability.**





# Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area



Airport Area



Reception Area







UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

## Technical Features


Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.





PRODUCT INDEX


IT'S CLICKABLE CATALOGS




AFYON  
BRONE




AFYON  
KIVA




OXIDON  
BLUE



OXIDON  
GOLD



ANTIQUE  
BLUE



ANTIQUE  
YELLOW



CANARIA  
MINT




CANARIA  
BROWN




CARARA  
GOLD




CARARA  
BLUE




CAVA  
GREEN




CAVA  
BLUE




CALCUTTA  
EQEO



CLUDE  
MONET



CROWN  
GREY



BELLA  
BLUE



DIKE  
BLUE




DIKE  
CHOCO




DIKE  
MINT




GRECO  
GOLD




ETICA  
BLUE



ETICA  
GREY



EZIO  
MICA



EZIO  
ZINTO



FANTASTY  
CHOCO




FANTASTY  
GREY




FURA  
GOLD




FURA  
WHITE




GERIXO



GOLD  
MURAL



HENRY  
MOTEX




HENRY  
BLEZA




DIOR  
GREEN



HORIZON




ILLUSION  
CASSA




ILLUSION  
TROM




IMPERIAL




JAZZ  
MULTI




JELLAM  
GOLD




JELLAM  
MIST




LUCIA  
BLUE




LUCIA  
BLACK




MANDALA  
GREEN



MANDALA  
BLUE



DIOR  
TEAL



MICOLA  
GREY



MOON  
NEXT




MOON  
MIX




VILOM  
WHITE



VILOM  
TEAL




NETIX  
BLACK




NETIX  
AQUA




QUIPER  
GOLD




QUIPER  
BLUE




RUBY  
GREY



REGAL  
GOLD



ROCCON  
GREY



ROCCON  
BLUE




ROMINO  
WHITE




ROMINO  
BIRCO




LOREANT



SAPHIRE



STONEX  
NETRO



STONEX  
VISTA



VENATO  
GREY




VENATO  
BROWN



VITROM  
GRESS




VITOM  
BRONZ




WELLS  
BLACK




VALERIA  
NEX




AFFINITY  
WHITE




AFFINITY  
WHITE




FLAKES  
WOOD



STAR MASKANA  
GREY



JELLAM  
GREY




NETIX BLUE



GLIMPSE OF...

# AFYON BRONE



SURFACE : GLOSSY BOOKMATCH



BACK TO INDEX





## AFYON BRONE

SURFACE  
GLOSSY BOOKMATCH




## AFYON KIVA

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## OXIDON BLUE

SURFACE  
GLOSSY BOOKMATCH



## OXIDON GOLD

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM






**OXIDON GOLD**



GLIMPSE OF...

# ANTIQUE BLUE




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## ANTIQUE BLUE

SURFACE  
GLOSSY BOOKMATCH



## ANTIQUE YELLOW

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant



BACK TO INDEX



GLIMPSE OF...

# CANARIA MINT



600X  
1200MM




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## CANARIA MINT

SURFACE  
GLOSSY BOOKMATCH




## CANARIA BROWN

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## CARARA GOLD

SURFACE  
GLOSSY BOOKMATCH



## CARARA BLUE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM






**CARARA BLUE**



GLIMPSE OF...  
**CAVA  
GREEN**




SURFACE : **GLOSSY BOOKMATCH**




[BACK TO INDEX](#)





## CAVA GREEN

SURFACE  
GLOSSY BOOKMATCH




## CAVA BLUE

SURFACE  
GLOSSY BOOKMATCH



600X  
1200MM





## CALCUTTA EQEO

SURFACE  
GLOSSY BOOKMATCH



## CLUDE MONET

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM






CLUDE MONET





## CROWN GREY

SURFACE  
GLOSSY BOOKMATCH




## BELLA BLUE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM



GLIMPSE OF...  
**DIKE  
BLUE**




SURFACE : **GLOSSY BOOKMATCH**



[BACK TO INDEX](#)





## DIKE BLUE

SURFACE  
GLOSSY BOOKMATCH




## DIKE CHOCO

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## DIKE MINT

SURFACE  
GLOSSY BOOKMATCH



## GRECO GOLD

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM






**GRECO GOLD**





## ETICA BLUE

SURFACE  
GLOSSY BOOKMATCH



## ETICA GREY

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





UNITRIM

ETICA GREY




GLIMPSE OF...

# EZIO MICA




GVT  
PGVT  
COLLECTION

LUMIARRO  
COLLECTION



600X  
1200MM




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## EZIO MICA

SURFACE  
GLOSSY BOOKMATCH




## EZIO ZINTO

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## FANTASTY CHOCO

SURFACE  
GLOSSY BOOKMATCH



## FANTASTY GREY

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





**FANTASTY GREY**




GLIMPSE OF...

# FURA GOLD



600X  
1200MM



SURFACE : GLOSSY BOOKMATCH



BACK TO INDEX





## FURA GOLD

SURFACE  
GLOSSY BOOKMATCH




## FURA WHITE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





## GERIXO

SURFACE  
GLOSSY BOOKMATCH



## GOLD MURAL

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM






**GOLD MURAL**





## HENRY MOTEX

SURFACE  
GLOSSY BOOKMATCH



## HENRY BLEZA

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM






HENRY BLEZA



GLIMPSE OF...  
**DIOR  
GREEN**



600X  
1200MM




SURFACE : **GLOSSY BOOKMATCH**




[BACK TO INDEX](#)





## DIOR GREEN

SURFACE  
GLOSSY BOOKMATCH




## HORIZON

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## ILLUSION CASSA

SURFACE  
GLOSSY BOOKMATCH



## ILLUSION TROM

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM






ILLUSION TROM




GLIMPSE OF...

# IMPERIAL



600X  
1200MM




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## IMPERIAL

SURFACE  
GLOSSY BOOKMATCH




## JAZZ MULTI

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## JELLAM GOLD

SURFACE  
GLOSSY BOOKMATCH



## JELLAM MIST

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM







**JELLAM MIST**



GLIMPSE OF...  
**LUCIA  
BLUE**



600X  
1200MM




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## LUCIA BLUE

SURFACE  
GLOSSY BOOKMATCH




## LUCIA BLACK

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## MANDALA GREEN

SURFACE  
GLOSSY BOOKMATCH



## MANDALA BLUE

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





**MANDALA BLUE**





## DIOR TEAL

SURFACE  
GLOSSY BOOKMATCH



## MICOLA GREY

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





**MICOLA GREY**



GLIMPSE OF...  
**MOON  
NEXT**



600X  
1200MM



SURFACE : **GLOSSY BOOKMATCH**




[BACK TO INDEX](#)





## MOON NEXT

SURFACE  
GLOSSY BOOKMATCH





## MOON MIX

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





## VILOM WHITE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM

## VILOM TEAL

SURFACE  
GLOSSY BOOKMATCH





**VILOM TEAL**




GLIMPSE OF...

# NETIX BLACK



600X  
1200MM



SURFACE : GLOSSY BOOKMATCH



BACK TO INDEX





## NETIX BLACK

SURFACE  
GLOSSY BOOKMATCH




## NETIX AQUA

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## QUIPER GOLD

SURFACE  
GLOSSY BOOKMATCH



## QUIPER BLUE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant




BACK TO INDEX






QUIPER BLUE





## RUBY GREY

SURFACE  
GLOSSY BOOKMATCH




## REGAL GOLD

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## ROCCON GREY

SURFACE  
GLOSSY BOOKMATCH



## ROCCON BLUE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





**ROCCON BLUE**



GLIMPSE OF...

# ROMINO WHITE



600X  
1200MM




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## ROMINO WHITE

SURFACE  
GLOSSY BOOKMATCH




## ROMINO BIRCO

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM





## LOREANT

SURFACE  
GLOSSY BOOKMATCH



## SAPHIRE

SURFACE  
GLOSSY BOOKMATCH


600X  
1200MM






**SAPHIRE**





## STONEX NETRO

SURFACE  
GLOSSY BOOKMATCH



## STONEX VISTA

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





STONEX VISTA



GLIMPSE OF...  
**VENATO  
GREY**



600X  
1200MM




SURFACE : **GLOSSY BOOKMATCH**




BACK TO INDEX





## VENATO GREY

SURFACE  
GLOSSY BOOKMATCH






## VENATO BROWN

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





## VITROM GRESS

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM

## VITOM BRONZ


SURFACE  
GLOSSY BOOKMATCH





VITOM BRONZ





## WELLS BLACK

SURFACE  
GLOSSY BOOKMATCH



## VALERIA NEX


SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM



GLIMPSE OF...

# AFFINITY WHITE



600X  
1200MM



SURFACE : GLOSSY BOOKMATCH




[BACK TO INDEX](#)





## AFFINITY WHITE

SURFACE  
GLOSSY BOOKMATCH



## CARVA DENIM

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM





## FLAKES WOOD

SURFACE  
GLOSSY BOOKMATCH



## STAR MASKANA GREY

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM






STAR MASKANA GREY



GLIMPSE OF...  
**JELLAM  
GREY**




SURFACE : GLOSSY BOOKMATCH




BACK TO INDEX





## JELLAM GREY

SURFACE  
GLOSSY BOOKMATCH



## NETIX BLUE

SURFACE  
GLOSSY BOOKMATCH

600X  
1200MM



TECHNICAL SPECIFICATION

| CHARACTERISTIC                                                    | STANDARD AS PER<br>ISO13006:2018/<br>EN14411 Gr.Bla | MEAN VALUE                                                               | TEST METHOD    |
|-------------------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------|----------------|
| Regulatory Properties                                             |                                                     |                                                                          |                |
| Deviation in length and width                                     | ± 0.30 % (±1.00mm)                                  | ± 0.10 %                                                                 | ISO 10545-2    |
| Deviation in thickness                                            | ± 5.00 % (±0.50mm)                                  | ± 4.00 %                                                                 | ISO 10545-2    |
| Straightness in side                                              | ± 0.30 % (±0.80mm)                                  | ± 0.10 %                                                                 | ISO 10545-2    |
| Rectangularity                                                    | ± 0.30 % (±1.50mm)                                  | ± 0.10 %                                                                 | ISO 10545-2    |
| Surface flatness central curvature                                | ± 0.40 % (±1.80mm)                                  | ± 0.20 %                                                                 | ISO 10545-2    |
| Surface flatness edge curvature                                   | ± 0.40 % (±1.80mm)                                  | ± 0.20 %                                                                 | ISO 10545-2    |
| Surface flatness warpage                                          | ± 0.40 % (±1.80mm)                                  | ± 0.10 %                                                                 | ISO 10545-2    |
| Surface quality                                                   | > 95% defects free                                  | > 95% defects free                                                       | ISO 10545-2    |
| Small Color Difference(For Plain Color)                           | ΔE <1.00                                            | ΔE < 0.30                                                                | ISO 10545-16   |
| Glossiness (Polished)                                             | as per mfg.                                         | Gloss Value > 90                                                         | Glossmeter 60° |
| Glossiness (Matt)                                                 | as per mfg.                                         | 3° < GLOSS < 7°                                                          | Glossmeter 60° |
| Glossiness (satin/Polish)                                         | as per mfg.                                         | 7° < GLOSS < 18°                                                         | Glossmeter 60° |
| Structural Properties                                             |                                                     |                                                                          |                |
| Water absorption                                                  | 0.50 % ≤ Ev ≤ 3.00 %                                | 0.060 % ≤ Ev ≤ 3.00 %                                                    | ISO 10545-3    |
| Bulk density                                                      | as per mfg.                                         | > 2.28 gm/cm <sup>3</sup>                                                | ISO 10545-3    |
| Massive Mechanical Properties                                     |                                                     |                                                                          |                |
| Modulus of rupture                                                | Min. 30.0 N/mm <sup>2</sup>                         | Min. 35.0 N/mm <sup>2</sup>                                              | ISO 10545-4    |
| Breaking strength thickness ≥7.5                                  | Min. 700.0 N                                        | Min. 1000.0 N                                                            | ISO 10545-4    |
| Breaking strength thickness ≥7.5                                  | Min. 1100.0 N                                       | Min. 1300.0 N                                                            | ISO 10545-4    |
| Breaking strength thickness ≥7.5(For ≥15mm)                       | Min. 1100.0 N                                       | Min. 1800.0 N                                                            | ISO 10545-4    |
| Surface Mechanical Properties                                     |                                                     |                                                                          |                |
| MOH'S hardness                                                    | as per mfg.                                         | Polished Min 4* /<br>Satin, Polish & Matt Min 6                          | BS EN 15771    |
| Surface abrasion resistance                                       | as per mfg.                                         | Polish Min. Class 2, Satin & Polish<br>Min. Class 3, & Matt Min. Class 4 | ISO 10545-7    |
| Deep abrasion resistance                                          | Max. 175mm <sup>3</sup>                             | Max. 132mm <sup>3</sup>                                                  | ISO 10545-6    |
| Thermal Hydrometric Properties                                    |                                                     |                                                                          |                |
| Moisture expansion                                                | Max. 0.06%(0.6mm/m)                                 | 0.02mm/m                                                                 | ISO 10545-10   |
| Thermal expansion(COE) at 100°C                                   | as per mfg.                                         | Max. 6.0 x 10 <sup>-6</sup>                                              | ISO 10545-8    |
| Thermal shock resistance                                          | Min. 10 Cycle                                       | Min. 10 Cycle                                                            | ISO 10545-9    |
| Impact resistance(COR)                                            | Min. 0.55                                           | Min. 0.55                                                                | ISO 10545-5    |
| Frost resistance                                                  | as per mfg.                                         | Frost Proof                                                              | ISO 10545-12   |
| Chemical Properties                                               |                                                     |                                                                          |                |
| Resistance to staining glazed                                     | Min. Class 3                                        | Min. Class 4                                                             | ISO 10545-14   |
| Resistance to household chemicals &<br>swimming pool salts glazed | Min. Class GB                                       | Min. Class GA                                                            | ISO 10545-13   |
| Resistance to low concentrate acid and<br>alkalis glazed          | as per mfg.                                         | Min. Class GLA**                                                         | ISO 10545-13   |
| Resistance to high concentrate acid and<br>alkalis unglazed       | as per mfg.                                         | Min. Class GHB**                                                         | ISO 10545-13   |
| Safety Properties                                                 |                                                     |                                                                          |                |
| Skid resistance<br>(COF -WET PENDULAM)##                          | as per mfg.                                         | Glossy P0(<12),Satin, Polish<br>≥P1(12-24) Matt ≥P2(25-34)               | BS 7976-2      |
| Slip resistance - (Satin / Matt (DCOF)<br>(R value)##             | as per mfg.                                         | R9 to R13**                                                              | DIN 51130      |
| Fire resistance                                                   | as per mfg.                                         | Fire Proof                                                               | N.A.           |

PACKING DETAILS

| PRODUCT  | SIZE           | THICKNESS       | TILES / BOX | COVERED AREA / BOX | WEIGHT            |
|----------|----------------|-----------------|-------------|--------------------|-------------------|
| GVT-PGVT | 600X<br>1200mm | 9mm<br>(APPROX) | 2pcs        | 1.44 sq. mtr.      | 27 KG<br>(APPROX) |

**Instruction**  
This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free  
There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this



**THANK YOU**