



| **600X1200MM**

exclusive
Collection


Our Focus

Excellence in Every
Detail, Commitment
in Every Tile.

We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,
Stay for the Durability.**





Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free





























Technical Features


Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.



PRODUCT INDEX

 IT'S CLICKABLE CATALOGS

														
BELLA REDA	COSMIC AUQA	COSMIC GREEN	CROWN TEAL	DIOR RED	HAYPER GREEN	HAYPER TEAL	MICOLA BLUE	MICOLA GREEN	MICOLA TEAL	ROSSO BLUE	ROSSO GREEN	REGAL PINK	RUBY GREEN	SHOPIA BLUE
														
SHOPIA GREEN	WELLS GREEN	FORSTER AQUA	FORSTER BLACK	FORSTER BLUE	FORSTER GREEN	FORSTER RED	EDICA	FAIRY AQUA	FAIRY GREEN	NEWTON GREEN	QOTA BLACK	QOTA BLUE	WINK BLUE	DALLAS BLUE
														
DALLAS COCO	TURKIS BLACK	TURKIS BLUE	EXOTICA AQUA	KOLAR GOLD AQUA	KOLAR GOLD BLUE	KOLAR GOLD GREEN	KOLAR GOLD GREY							



**BELLA
REDA**

SIZE
600X1200MM

SURFACE
GLOSSY FINISH





[BACK TO INDEX](#)

exclusive
Collection



BELLA REDA



COSMIC AUQA



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



COSMIC GREEN


SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



CROWN TEAL

SIZE
600X1200MM

SURFACE
GLOSSY FINISH




[BACK TO INDEX](#)

exclusive
Collection



CROWN TEAL



DIOR RED



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



HAYPER GREEN



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection



**HAYPER
TEAL**



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection



MICOLA BLUE



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection



MICOLA GREEN



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



MICOLA TEAL



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



**ROSSO
BLUE**

SIZE
600X1200MM

SURFACE
GLOSSY FINISH





[BACK TO INDEX](#)

exclusive
Collection



ROSSO BLUE



**ROSSO
GREEN**


SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection



REGAL PINK



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



RUBY GREEN



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



SHOPHIA BLUE



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



SHOPHIA GREEN



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



WELLS GREEN



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



FORSTER AQUA


SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection



FORSTER BLACK



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



FORSTER BLUE


SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



FORSTER GREEN

SIZE
600X1200MM

SURFACE
GLOSSY FINISH




BACK TO INDEX

exclusive
Collection



FORSTER GREEN



**FORSTER
RED**



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



EDICA

SIZE
600X1200MM



SURFACE
GLOSSY FINISH

RANDOM
03 FACES



[BACK TO INDEX](#)

exclusive
Collection



FAIRY AQUA

SIZE
600X1200MM



SURFACE
GLOSSY FINISH

RANDOM
04 FACES



BACK TO INDEX

exclusive
Collection



**FAIRY
GREEN**

SIZE
600X1200MM



SURFACE
GLOSSY FINISH

RANDOM
04 FACES



BACK TO INDEX

exclusive
Collection



NEWTON GREEN

SIZE
600X1200MM



SURFACE
GLOSSY FINISH

RANDOM
03 FACES



[BACK TO INDEX](#)

exclusive
Collection



**QOTA
BLACK**

SIZE
600X1200MM


SURFACE
GLOSSY FINISH

RANDOM
02 FACES





BACK TO INDEX

exclusive
Collection



QOTA BLACK



QOTA BLUE

SIZE
600X1200MM



SURFACE
GLOSSY FINISH

RANDOM
02 FACES



[BACK TO INDEX](#)

exclusive
Collection



**WINK
BLUE**

SIZE
600X1200MM



SURFACE
GLOSSY FINISH

RANDOM
04 FACES



[BACK TO INDEX](#)

exclusive
Collection



DALLAS BLUE


SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



DALLAS COCO

SIZE
600X1200MM

SURFACE
GLOSSY FINISH




[BACK TO INDEX](#)

exclusive
Collection



DALLAS COCO



TURKIS BLACK

SIZE
600X1200MM

SURFACE
GLOSSY FINISH





[BACK TO INDEX](#)

exclusive
Collection



TURKIS BLACK



**TURKIS
BLUE**



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection



EXOTICA AQUA



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



KOLAR GOLD AQUA

SIZE
600X1200MM

SURFACE
GLOSSY FINISH





BACK TO INDEX

exclusive
Collection



KOLAR GOLD AQUA



KOLAR GOLD BLUE



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



KOLAR GOLD GREEN



SIZE
600X1200MM

SURFACE
GLOSSY FINISH



[BACK TO INDEX](#)

exclusive
Collection



KOLAR GOLD GREY

SIZE
600X1200MM

SURFACE
GLOSSY FINISH



BACK TO INDEX

exclusive
Collection

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cm ³	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERED AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	9mm (Approx)	2Pcs	1.44 sq. mtr	27 KG (Approx)

Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free

There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this

THANK YOU