



| **600X1200MM**

eternal
collection

Our Focus

Excellence in Every
Detail, Commitment
in Every Tile.

We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,
Stay for the Durability.**





Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free





Technical Features

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.





PRODUCT INDEX

 IT'S CLICKABLE CATALOGS

														
Aderly Silver	Aderly Grey	Ark Pulpis Grey	Athos White	Burberry Grey	Burberry Pearl	Burberry Crema	Chavrol Mix	Capron Bianco	Capron Grey	Capron Crema	Capron Pearl	Elysian Ivory Stone	Elysian Grey Stone	Epos Beige
														
Epos Grey	Epos White	Febio Nero	Fornk Aqua	Fornk Blue	Fornk Green	Galaxy Blue	Grezo Crema	Humburg Pink	Kryton Moon	Lavira Crema	Lavira Natural	Malvin Leaf	Noble Light Grey	Noble Grey
														
Omega Grey	Omega Beige	Oracle Bianco	Oracle Grey	Oracle Crema	Oracle Beige	Orion White	Orion Beige	Reva Green	Rigga Beige	Seamount Bianco	Seamount Grey	Sparkle Bianco	Sparkle Crema	Sparkle Grey

PRODUCT INDEX

 IT'S CLICKABLE CATALOGS

							
Sparkle Olive	Toro Pearl	Toro Latte	Tundra Bianco	Tundra Grey	Tundra Beige	Urbiko Crema	Urbiko Dove



Glimpse of **Aderly Silver**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



ADERLY SILVER

600X1200MM
GLOSSY SURFACE
04 RANDOM



ADERLY GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM




[BACK TO INDEX](#)




ARK PULPIS GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



ATHOS WHITE

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




ATHOS WHITE



Glimpse of **Burbery Grey**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES



BURBERY GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



BURBERY PEARL

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)




BURBERY CREMA

600X1200MM
GLOSSY SURFACE
05 RANDOM



CHAVROL MIX

600X1200MM
GLOSSY SURFACE
03 RANDOM



[BACK TO INDEX](#)



CHAVROL MIX



Glimpse of **Capron Bianco**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES

CAPRON BIANCO

600X1200MM
GLOSSY SURFACE
05 RANDOM

CAPRON GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



CAPRON CREMA

600X1200MM
GLOSSY SURFACE
05 RANDOM



CAPRON PEARL

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



RIVARENO

CAPRON PEARL



Glimpse of **Elysian Ivory Stone**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES



ELYSIAN IVORY STONE

600X1200MM
GLOSSY SURFACE
05 RANDOM



ELYSIAN GREY STONE

600X1200MM
GLOSSY SURFACE
05 RANDOM





EPOS BEIGE

600X1200MM
GLOSSY SURFACE
05 RANDOM



EPOS GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



BACK TO INDEX



EPOS GREY



Glimpse of **Epos White**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES



EPOS WHITE

600X1200MM
GLOSSY SURFACE
05 RANDOM



FEBIO NERO

600X1200MM
GLOSSY SURFACE
04 RANDOM




[BACK TO INDEX](#)



FORNK AQUA

600X1200MM
GLOSSY SURFACE
03 RANDOM



FORNK BLUE

600X1200MM
GLOSSY SURFACE
03 RANDOM





FORK BLUE



Glimpse of **Fornk Green**



BACK TO INDEX




SURFACE : **GLOSSY ENDLESS**

3 RANDOM FACES





FORK GREEN

600X1200MM
GLOSSY SURFACE
03 RANDOM



GALAXY BLUE

600X1200MM
GLOSSY SURFACE
04 RANDOM




[BACK TO INDEX](#)




GREZO CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



HUMBURG PINK

600X1200MM
GLOSSY SURFACE
03 RANDOM



BACK TO INDEX



HUMBURG PINK



Glimpse of **Kryton Moon**



BACK TO INDEX




SURFACE : **GLOSSY ENDLESS**

3 RANDOM FACES



KRYTON MOON

600X1200MM
GLOSSY SURFACE
03 RANDOM



LAVIRA CREMA

600X1200MM
GLOSSY SURFACE
05 RANDOM







LAVIRA NATURAL

600X1200MM
GLOSSY SURFACE
05 RANDOM



MALVIN LEAF

600X1200MM
GLOSSY SURFACE
04 RANDOM



[BACK TO INDEX](#)



MALVIN LEAF



Glimpse of Noble Light Grey



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




NOBLE LIGHT GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



NOBLE GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



[BACK TO INDEX](#)



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant



OMEGA GREY

600X1200MM
GLOSSY SURFACE
03 RANDOM



OMEGA BEIGE

600X1200MM
GLOSSY SURFACE
03 RANDOM



[BACK TO INDEX](#)



OMEGA BEIGE



Glimpse of **Oracle Bianco**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES




ORACLE BIANCO

600X1200MM
GLOSSY SURFACE
05 RANDOM



ORACLE GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



ORACLE CREMA

600X1200MM
GLOSSY SURFACE
05 RANDOM



ORACLE BEIGE

600X1200MM
GLOSSY SURFACE
05 RANDOM



BACK TO INDEX



ORACLE BEIGE



Glimpse of **Orion White**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES




ORION WHITE

600X1200MM
GLOSSY SURFACE
05 RANDOM




ORION BEIGE

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



REVA GREEN

600X1200MM
GLOSSY SURFACE
04 RANDOM



RIGGA BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM



[BACK TO INDEX](#)



RIGGA BEIGE



Glimpse of **Seamount Bianco**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES



SEAMOUNT BIANCO

600X1200MM
GLOSSY SURFACE
05 RANDOM



SEAMOUNT GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



BACK TO INDEX



SPARKLE BIANCO

600X1200MM
GLOSSY SURFACE
05 RANDOM



SPARKLE CREMA

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



SPARKLE CREMA



Glimpse of **Sparkle Grey**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES



SPARKLE GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



SPARKLE OLIVE

600X1200MM
GLOSSY SURFACE
05 RANDOM



BACK TO INDEX



TORO PEARL

600X1200MM
GLOSSY SURFACE
05 RANDOM



TORO LATTE

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



TORO LATTE



Glimpse of **Tundra Bianco**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

5 RANDOM FACES



TUNDRA BIANCO

600X1200MM
GLOSSY SURFACE
05 RANDOM



TUNDRA GREY

600X1200MM
GLOSSY SURFACE
05 RANDOM



[BACK TO INDEX](#)



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant




TUNDRA BEIGE

600X1200MM
GLOSSY SURFACE
05 RANDOM



URBIKO CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



URBIKO CREMA



Glimpse of **Urbiko Dove**



BACK TO INDEX



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



URBIKO DOVE

600X1200MM
GLOSSY SURFACE
04 RANDOM



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cm ³	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERED AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	9mm (Approx)	2Pcs	1.44 sq. mtr	27 KG (Approx)

Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free

There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this

THANK YOU