




| 600X1200MM

MARMORA
COLLECTION

Our Focus

Excellence in Every
Detail, Commitment
in Every Tile.

We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,
Stay for the Durability.**





Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

Technical Features

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.



PRODUCT INDEX

 IT'S CLICKABLE CATALOGS



ADISON
WHITE




ARASH



AMELIA
FANTA



AMELIA
AQUA



ARISTO
RED




BISTROT
CALACATTA



ARTEMIS



BOW
MULTI



BELDIA
GOLD




BELDIA
BLUE



BONAPARTE
WHITH



CAMILA



BRONZO
MIX



CALACATT
MACCHIA




CALLSI



FIRENZE
GREY




CAVA




CLOUD



FANTASTY



JAZZ
GREY



FLITON



HIMALIYA



IMOLA



VENA
FINE




LAPARET
NASHIRA



MARVEL
STATUARIO



LUXE
GREY




LUXE
GOLD




MAXERO




MILLANO



MURAL
GOLD




MURAL
GREY




NATURAL
STATUARIO




NEX
RED




PACIFIC



POLIDO



RECTANGLE



RERO



SAPHIRE



BENFO



STATUARIO
PHNTOM



STATUARIO
BERLIN



BIANCO
STONE



BLACK
THUNDER



VENATO
ORO



MARIA
WHITE



CRYSTAL
BLACK



FITRONA



LIPOON
WHITE




POLAR
WHITE




RICH
DOVE




ZAFERRO
SILK




MORGAN




JILTOP



LISTER



VENELIYA




MENKOS

Glimpse of...



**ADISON
WHITE**

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



[BACK TO INDEX](#)



ADISON WHITE

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

ARASH

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






ADISON WHITE



AMELIA FANTA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

AMELIA AQUA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



**ARISTO
RED**

600X
1200MM




SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




BACK TO INDEX



ARISTO RED

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

BISTROT CALACATTA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES



BACK TO INDEX




ARISTO RED



ARTEMIS

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

BOW MULTI

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



**BELDIA
GOLD**

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




[BACK TO INDEX](#)



BELDIA GOLD

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

BELDIA BLUE


SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






BELDIA GOLD



BONAPARTE WHITH

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

CAMILA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



**BRONZO
MIX**

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




[BACK TO INDEX](#)



BRONZO MIX

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

CALACATT MACCHIA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





BRONZO MIX



CALLSI

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

FIRENZE GREY

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



CAVA



600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



BACK TO INDEX



CAVA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

CLOUD

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






CAVA



FANTASTY

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

JAZZ GREY

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



FLITON

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



BACK TO INDEX



FLITON

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

HIMALIYA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES



BACK TO INDEX



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant




FLITON



IMOLA

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES



600X
1200MM

VENA FINE

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



LAPARET
NASHIRA

600X
1200MM




SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




BACK TO INDEX



LAPARET NASHIRA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

MARVEL STATUARIO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






LAPARET NASHIRA



LUXE GREY

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

LUXE GOLD

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



MAXERO



600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




BACK TO INDEX



MAXERO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

MILLANO

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES



BACK TO INDEX



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant



MAXERO



MURAL GOLD

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

MURAL GREY

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



**NATURAL
STATUARIO**

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




[BACK TO INDEX](#)



NATURAL STATUARIO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

NEX RED


SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





NATURAL STATUARIO



PACIFIC

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES



600X
1200MM




POLIDO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



RECTANGLE

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



BACK TO INDEX



RECTANGLE

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

RERO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





RECTANGLE



SAPHIRE

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

BENFO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




Glimpse of...



STATUARIO
PHNTOM

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



BACK TO INDEX



STATUARIO PHNTOM

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

STATUARIO BERLIN


SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






STATUARIO PHNTOM



BIANCO STONE

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES




600X
1200MM

BLACK THUNDER

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES




Glimpse of...



VENATO
ORO

600X
1200MM



SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



BACK TO INDEX



VENATO ORO

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES




600X
1200MM

MARIA WHITE

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






VENATO ORO



CRYSTAL BLACK

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES





600X
1200MM

FITRONA

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES



BACK TO INDEX



Easy to clean



Frost resistant



Scratch resistant



Chemical resistant


Glimpse of...



**LIPOON
WHITE**



600X
1200MM




SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




BACK TO INDEX



LIPOON WHITE

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES





600X
1200MM

POLAR WHITE

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






LIPOON WHITE



RICH DOVE

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES




600X
1200MM

ZAFERRO SILK

SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES



BACK TO INDEX



Easy to clean



Frost resistant



Scratch resistant




Chemical resistant

Glimpse of...



MORGAN

600X
1200MM




SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES




BACK TO INDEX



MORGAN

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES





600X
1200MM

JILTOP


SURFACE :
GLOSSY ENDLESS

4
RANDOM FACES






MORGAN



LISTER

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES





600X
1200MM

VENELIYA

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES





MENKOS

SURFACE :
GLOSSY ENDLESS

3
RANDOM FACES

600X
1200MM



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cm ³	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERED AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	9mm (APPROX)	2pcs	1.44 sq. mtr.	27 KG (APPROX)

Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free
There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this

THANK YOU